

Airguide Tachometer Applications

Most Airguide Gauges came in Flush (A) or Surface mount (B).

If you have additional information we would be pleased to add it to this list.

The number found on the face or case of the gauge e.g., P-XXXX indicates the face printing design or case number and has no bearing on the gauge model.

Model	Engine	Brand	Cycle	Cylinders	Ignition	RPM
651	Outboard	Mercury	2	6	12V	0-8000
651	Outboard	Scott '61 or later	2		12V	0-8000
651	Inboard		4	6	12 or 6V	0-8000
653	Outboard	Scott Manual Start Only	2	2 or 4	Magneto	0-6000
653	Outboard	Evinrude, Gale, Johnson, Mercury (and private brands made by Outboard Marine Corp. and Mercury)	2	2 or 4	Magneto	0-6000
654	Outboard	Johnson and Evinrude	2	4	12V	0-6000
654	Inboard		4	8	12 or 6V	0-6000
655	Outboard	Scott '61 or later	2	3	12v	0-6000
655	Outboard		2	4	12v	0-6000
655	Outboard	Mercury	2	6	12v	0-6000
655	Inboard		4	6 or 8	12 or 6V	0-6000
656	Outboard	Scott '61 or later	2	4	12	0-6000
656	Outboard		2	4	12	0-6000
656	Outboard	Mercury	2	6	12	0-6000
656	Inboard		4	6 or 8	12 or 6V	0-6000
657	Outboard		4	4	12 or 6V	0-8000
657	Inboard		4	4	12 or 6V	0-8000
658	Outboard	Scott Manual Start Only	2	2	Magneto	0-6000
658	Outboard		2	4	Magneto	0-6000
664	Outboard		2	2 or 4	Magneto	0-7000
664	Inboard		4	4 or 6		0-7000
665	Outboard		2	3,4, or 6	12 V bat	0-7000
665	Inboard		4	6 or 8	12 V bat	0-7000
666	Outboard	Mercury	2	4 or 6	Capacitor discharge	0-7000
667	Outboard	Stainless Steel Model with above application	2	4 or 6	Capacitor discharge	0-8000
675	Outboard	self contained transmitter, yellow to 12V, black to tach gnd., gray to tach lead.	2		Capacitor discharge	0-7000

676	Outboard	Johnson and Evinrude	2		Capacitor discharge	
668	Outboard	Yellow to Magneto, Black to Ground Red to Red Tach, Tape off Brown	2	2 or 4	Magneto	0-8000
668	Inboard	Yellow to Magneto, Black to Ground Brown to Brown Tach, Tape off Red	4	4 or 8	Magneto	0-8000
685	Outboard	Capacitor Discharge with Breaker Points or Conventional 12 volt battery with Coil Ignition	2	3, 4, or 6		0-7000
685	Inboard	same as above		6 or 8		0-7000
690 ¹	Outboard	Mercury, Johnson, Evinrude, Chrysler	2	2,3, or 4		0-7000
870	Outboard	Mercury electric start 40hp and up all 1970-1977 Johnson and Evenrude and their 1978 70hp to 235hp	2			0-7000
966 ²	Outboard	Johnson and Evinrude	2		Capacitor discharge	0-8000

¹Connect with Jumpers as follows:

2 cylinder Magneto no connection

4 cylinder Magneto connect #1 and #2 terminals

3 cylinder CD with points and battery-coil connect #1 and #3 terminals.

4 cylinder CD with points and battery-coil connect #1 and #4 terminals.

Alternator system connect #1, #3, and #4 terminals.

²Panel Master Gauge

